

# CONTENTS OF VOLUME 22

## Number 1

|  |     |  |
|--|-----|--|
| A. D. Surridge and Y. Goldreich  | 1   | On the spatial characteristics of the nocturnal stable boundary layer over a complex urban terrain                                     |
| P. J. Lightowlers and J. N. Cape   | 7   | Sources and fate of atmospheric HCl in the U.K. and Western Europe   |
| R. B. Walters, B. J. Nordenstam and R. F. Phalen                           | 17  | A generator for the production of sulfuric acid-coated diesel soot aerosols  |
| Y. S. Ghim and J. H. Seinfeld  | 25  | Trajectory models and the deformation of air parcels   |
| P. G. Georgopoulos and J. H. Seinfeld                                      | 31  | Estimation of relative dispersion parameters from atmospheric turbulence spectra   |
| L. H. J. M. Janssen, J. H. A. van Wakeren, H. van Duuren and A. J. Elshout | 43  | A classification of NO oxidation rates in power plant plumes based on atmospheric conditions   |
| L. Zong-Kai and G. A. Briggs   | 55  | Simple PDF models for convectively driven vertical diffusion   |
| P. S. Kasibhatla, L. K. Peters and G. Fairweather                          | 75  | Numerical simulation of transport from an infinite line source: error analysis   |
| D. H. Bache  | 83  | Extensions of finite rate diffusion theory to a continuous plume from a ground-based source in the atmospheric surface layer           |
| S. L. Clegg and P. Brimblecombe  | 91  | Equilibrium partial pressures of strong acids over concentrated saline solutions—I. $\text{HNO}_3$                                     |
| C. Seigneur and P. Saxena  | 101 | A theoretical investigation of sulfate formation in clouds   |
| S. L. Clegg and P. Brimblecombe  | 117 | Equilibrium partial pressures of strong acids over concentrated saline solutions—II. HCl   |
| D. H. Bache, T. J. Lawson and S. Uk  | 131 | Development of a criterion for defining spray drift  |
| R. J. Engelmann  | 137 | The scavenging ratio normalized to remove the effect of humidity   |
| P. Kalabokas, P. Carlier, P. Fresnet, G. Mouvier and G. Toupance           | 147 | Field studies of aldehyde chemistry in the Paris area  |
| P. Koutrakis, J. M. Wolfson and J. D. Spengler                             | 157 | An improved method for measuring aerosol strong acidity: results from a nine-month study in St Louis, Missouri and Kingston, Tennessee |
| A. J. Jakeman, R. W. Simpson and J. A. Taylor                              | 163 | Modeling distributions of air pollutant concentrations—III. The hybrid deterministic-statistical distribution approach                 |
| P. Martinez and R. W. Ohline   | 175 | Investigations into the chemical forms of electrically fixed nitrogen  |

|   |     |  |
|---|-----|--|
| H. M. ten Brink, A. J. Janssen and J. Slanina   | 177 | Plume wash-out near a coal-fired power plant: measurements and model calculations          |
| <i>Technical Note</i>   |     |  |
| C. F. Barrett, D. J. Hall,<br>M. O. Ralph and S. L. Upton                                 | 189 | The microthread method for the sizing of aerosols  |
| <i>Letters to the Editors</i>   |     |  |
| G. Gilli, R. Bono, M. Calleri,<br>G. Corrao and V. Scursatone                             | 193 | Air pollution and health: a descriptive study among populations of the urban area of Turin |
| S. J. Vermette and J. J. Drake  | 195 | Modifications to the McMaster wet-only rain collector                                      |
| <i>Discussions</i>  |     |  |
| M. Nosal, E. R. Altwicker and<br>A. H. Johannes   | 197 | Spatial and historical trends in acidic deposition: a graphical intersite comparison       |
| M. L. Wesely, D. R. Cook,<br>R. L. Hart, R. E. Speer,<br>K. W. Nicholson and T. D. Davies | 198 | Field measurements of the dry deposition of particulate sulphate                           |
| <i>News Section</i>   |     |  |
| Introduction (D. J. Moore)  | 201 |  |
| Meetings  | 201 |  |
| New Products and Equipment  | 202 |  |
| Recent Titles of Interest   | 204 |  |
| Book Reviews (J. P. Lodge, Jr)  | 205 |  |
| Erratum   | 209 |  |
| Preparation of Papers   | i   |  |

## Number 2

|  |     |  |
|--|-----|--|
| A. M. Spanton and M. L. Williams                   | 211 | A comparison of the structure of the atmospheric boundary layers in Central London and a rural/suburban site using acoustic sounding                         |
| J. K. S. Ching, S. T. Shipley and<br>E. V. Browell | 225 | Evidence for cloud venting of mixed layer ozone and aerosols   |
| J. M. Pacyna and M. Oehme                          | 243 | Long-range transport of some organic compounds to the Norwegian Arctic   |
| R. H. Maryon and C. C. Heasman                     | 259 | The accuracy of plume trajectories forecast using the U.K. Meteorological Office operational forecasting models and their sensitivity to calculation schemes |
| K. E. Grønskei                                     | 273 | The influence of car speed on dispersion of exhaust gases  |
| S. M. Kreidenweis and J. H. Seinfeld               | 283 | Nucleation of sulfuric acid-water and methanesulfonic acid-water solution particles: implications for the atmospheric chemistry of organosulfur species      |

|  |     |   |
|--|-----|---|
| M. S. Hong and I. Y. Lee   | 297 | Numerical studies of acidification processes within and below clouds with a flow-through chemical reactor model           |
| M. Luria and J. F. Meagher   | 307 | Computer simulation of the boundary layer oxidation and removal of atmospheric pollutants over the western Atlantic Ocean |
| M. R. Legrand, C. Lorius,<br>N. I. Barkov and V. N. Petrov                                     | 317 | Vostok (Antarctica) ice core: atmospheric chemistry changes over the last climatic cycle (160,000 years)                  |
| E. Berge   | 333 | Time-trends of sulfate and nitrate in precipitation in Norway (1972-1982)   |
| T. A. Buishand, G. T. Kempen,<br>A. J. Frantzen, H. F. R. Reijnders<br>and A. J. van den Eshof | 339 | Trend and seasonal variation of precipitation chemistry data in The Netherlands   |
| D. Zhao, J. Xiong, Y. Xu and<br>W. H. Chan   | 349 | Acid rain in southwestern China   |
| A. J. Janssen and W. A. H. Asman   | 359 | Effective removal parameters in long-range air pollution transport models   |
| R. Sequeira  | 369 | On the solubility of some natural minerals in atmospheric precipitation   |
| U. Krell and E. Roeckner   | 375 | Model simulation of the atmospheric input of lead and cadmium into the North Sea  |
| Y. S. Chung  | 383 | The variations of atmospheric carbon dioxide at Alert and Sable Island, Canada  |
| A. M. Mohan Rao and G. G. Pandit   | 395 | Concentrations of $C_2-C_5$ hydrocarbons in atmospheric air at Deonar, Bombay, in relation to possible sources            |
| R. W. Coutant, L. Brown,<br>J. C. Chuang, R. M. Riggan and<br>R. G. Lewis                      | 403 | Phase distribution and artifact formation in ambient air sampling for polynuclear aromatic hydrocarbons                   |
| M. Hutton, A. Wadge and<br>P. J. Milligan  | 411 | Environmental levels of cadmium and lead in the vicinity of a major refuse incinerator                                    |
| <i>Short Communications</i>  |     |   |
| J. A. Fay  | 417 | Modeling the Lake Nyos gas disaster   |
| H. B. Singh and W. Viezee  | 419 | Enhancement of PAN abundance in the Pacific marine air upon contact with selected surfaces                                |
| E. Mészáros  | 423 | On the possible role of the biosphere in the control of atmospheric clouds and precipitation                              |
| A. N. Nigam, R. P. Tripathi,<br>P. Ramashesu and R. K. Chopra                                  | 425 | Characterization of the iron-bearing component present in aerosol over Jodhpur, the capital city of Thar Desert (India)   |
| D. R. Brown, H. L. Pacquette and<br>R. A. Watlington   | 429 | Airborne lead on St. Thomas, U.S. Virgin Islands  |

*Discussions*

|  |     |   |
|--|-----|---|
| M. M. Ibrahim and A. D. Surridge   | 431 | Extrapolation of the nocturnal temperature inversion from ground-based measurements                             |
| P. K. Dasgupta, P. W. West,<br>D. B. Orr, J. C. Hipfner, W. H. Chan,<br>M. A. Lulis and J. E. Hunt | 432 | The application of a passive permeation device for the measurement of sulfur dioxide                            |
| A. D. Shendrikar   | 433 | Development of a $\text{MNO}_2$ -coated cylindrical denuder for removing $\text{NO}_2$ from atmospheric samples |
| <i>News Section</i>  |     |   |
| Introduction   | 435 |   |
| Calendar   | 435 |   |
| New Products and Services  | 436 |   |
| Recent Titles of Interest  | 439 |   |
| New Patents  | i   |   |

## Number 3

|  |     |  |
|--|-----|--|
| S. Hameed and J. Dignon  | 441 | Changes in the geographical distributions of global emissions of $\text{NO}_x$ and $\text{SO}_x$ from fossil-fuel combustion between 1966 and 1980 |
| E. Noma, B. Berglund, U. Berglund,<br>I. Johansson and J. C. Baird | 451 | Joint representation of physical locations and volatile organic compounds in indoor air from a healthy and a sick building                         |
| J. D. Sinclair, L. A. Psota-Kelty and<br>C. J. Weschler            | 461 | Indoor/outdoor ratios and indoor surface accumulations of ionic substances at Newark, New Jersey   |
| M. Segal, C.-H. Yu, R. W. Arritt and<br>R. A. Pielke               | 471 | On the impact of valley/ridge thermally induced circulations on regional pollutant transport   |
| M. E. Jenkin, R. A. Cox and<br>D. J. Williams                      | 487 | Laboratory studies of the kinetics of formation of nitrous acid from the thermal reaction of nitrogen dioxide and water vapour                     |
| A. P. Altshuller   | 499 | Some characteristics of ozone formation in the urban plume of St. Louis, MO  |
| B. D. McVeety and R. A. Hites                                      | 511 | Atmospheric deposition of polycyclic aromatic hydrocarbons to water surfaces: a mass balance approach  |
| J. Neubauer and K. G. Heumann                                      | 537 | Nitrate trace determinations in snow and firn core samples of ice shelves at the Weddell Sea, Antarctica   |
| G. Ellenton, P. K. Misra and B. Ley                                | 547 | The relative roles of emissions changes and meteorological variability in variation of wet sulfur deposition: a trajectory model study             |

|  |     |  |
|--|-----|--|
| M. O. Amdur, L. C. Chen, J. Guty,<br>H. F. Lam and P. D. Miller  | 557 | Speciation and pulmonary effects of acidic $\text{SO}_x$ formed on the surface of ultrafine zinc oxide aerosols                                |
| A. L. Beaman   | 561 | A novel approach to estimating the odour concentration distribution in the community   |
| B. Galle, A. Sunesson and W. Wendt   | 569 | $\text{NO}_2$ -mapping using laser-radar techniques  |
| D. L. Fox, L. Stockburger,<br>W. Weathers, C. W. Spicer,<br>G. I. Mackay, H. I. Schiff,<br>D. J. Eatough, F. Mortensen,<br>L. D. Hansen, P. B. Shepson,<br>T. E. Kleindienst and E. O. Edney | 575 | Intercomparison of nitric acid diffusion denuder methods with tunable diode laser absorption spectroscopy                                      |
| K. E. Thrane   | 587 | Application of air pollution models: a comparison of different techniques for estimating ambient air pollution levels and source contributions |
| C. Bellver   | 595 | Luminance and polarization of the sky light at Seville (Spain) measured in white light   |
| <i>Short Communication</i>   |     |  |
| K. E. Noll and E. Khalili  | 601 | Dry deposition of sulfate associated with pollen   |
| <i>Technical Note</i>  |     |  |
| C. Lin and S. K. Friedlander   | 605 | A note on the use of glass fiber filters in the thermal analysis of carbon containing aerosols   |
| <i>Discussion</i>  |     |  |
| D. H. Lowenthal, K. A. Rahn,<br>V. A. Dutkiewicz, P. P. Parekh and<br>L. Husain  | 609 | An evaluation of regional elemental signatures relevant to the northeastern United States  |
| <i>News Section</i>  |     |  |
| Introduction   | 617 |  |
| Calendar   | 617 |  |
| Announcements  | 618 |  |
| New Products and Services  | 620 |  |
| Recent Titles of Interest  | 622 |  |

## Number 4

|  |     |  |
|--|-----|--|
| T. J. Overcamp and T. Ku                                 | 625 | Plume rise from two or more adjacent stacks  |
| P. Masclet, P. Pistikopoulos,<br>S. Beyne and G. Mouvier | 639 | Long range transport and gas/particle distribution of polycyclic aromatic hydrocarbons at a remote site in the Mediterranean Sea   |
| M. Kumari and O. P. Sharma                               | 651 | A model study for ambient air quality analysis using routine meteorological observations   |
| A. T. Cocks and I. S. Fletcher                           | 663 | Major factors influencing gas-phase chemistry in power-plant plumes during long-range transport—I. Release time and dispersion rate for dispersion into a 'rural' ambient atmosphere |

|  |     |  |
|--|-----|--|
| R. Smith and B. E. A. Fisher   | 677 | A simple analytical model for oxidation in single and overlapping power-station plumes   |
| A. S. Chandler, T. W. Choularton,<br>G. J. Dollard, M. J. Gay, T. A. Hill,<br>A. Jones, B. M. R. Jones,<br>A. P. Morse, S. A. Penkett and<br>B. J. Tyler | 683 | A field study of the cloud chemistry and cloud microphysics at Great Dun Fell  |
| C. Leuenberger, J. Czuczwa,<br>E. Heyerdahl and W. Giger   | 695 | Aliphatic and polycyclic aromatic hydrocarbons in urban rain, snow and fog   |
| P. P. Parekh and L. Husain   | 707 | Selective leaching of atmospheric aerosols: resolution of limestone and cement   |
| R. W. Arritt, R. A. Pielke<br>and M. Segal   | 715 | Variations of sulfur dioxide deposition velocity resulting from terrain-forced mesoscale circulations  |
| W. A. H. Asman, B. Drukker and<br>A. J. Janssen  | 725 | Modelled historical concentrations and depositions of ammonia and ammonium in Europe   |
| A. Venkatram, P. K. Karamchandani<br>and P. K. Misra   | 737 | Testing a comprehensive acid deposition model  |
| M. Blumthaler and W. Ambach  | 749 | Human solar ultraviolet radiant exposure in high mountains   |
| W. K. Weisweiler and B. U. Schwarz   | 755 | A method for the qualitative and quantitative detection of individual $\text{NH}_4^+$ -containing aerosols   |
| K. Keiding, J. Pedersen and<br>F. Palmgren Jensen  | 763 | A comparison of two procedures for modelling of absolute source contributions in urban air   |
| H. K. Al-Omishy and<br>H. S. Al-Samarrai   | 769 | Road traffic simulation model for predicting pollutant emissions   |
| G. H. Miles and R. W. Simpson  | 775 | The general applicability of a model to control violations of short-term exposure standards for TSP  |
| A. R. Riebau, D. G. Fox,<br>M. L. Sestak, B. Dailey and<br>S. F. Archer  | 783 | Simple approach smoke estimation model   |
| J. C. Wilson, A. Gupta, K. T. Whitby<br>and W. E. Wilson   | 789 | Measured aerosol light scattering coefficients compared with values calculated from EAA and optical particle counter measurements: improving the utility of the comparison |
| O. Sen   | 795 | Variations of aerosols at Izmir, Turkey determined by neutron activation analysis  |
| U. Högström, D. N. Asimakopoulos,<br>H. Kambezidis, C. G. Helmis and<br>A. Smedman   | 803 | A field study of the wake behind a 2 MW wind turbine   |
| <i>Short Communication</i>   |     |  |
| R. Conrad, H. Schütz and W. Seiler   | 821 | Emission of carbon monoxide from submerged rice fields into the atmosphere   |
| <i>Discussion</i>  |     |  |
| R. H. Ball, J. A. Fay and D. Golomb  | 825 | Anthropogenic nitrogen oxide transport and deposition in eastern North America   |

*News Section*

|                           |     |
|---------------------------|-----|
| Introduction              | 827 |
| Calendar                  | 827 |
| Announcements             | 828 |
| New Products and Services | 829 |
| Recent Titles of Interest | 830 |

## Number 5

|  |     |   |
|--|-----|---|
| E. M. Shaver and L. J. Forney                              | 833 | Properties of industrial dense gas plumes   |
| S. M. Viessman and S. Raman                                | 839 | Boundary layer wind parameterization for use in a Lagrangian trajectory model   |
| D. A. Wheeler  | 853 | Atmospheric dispersal and deposition of radioactive material from Chernobyl   |
| A. Venkatram   | 865 | An interpretation of Taylor's statistical analysis of particle dispersion   |
| D. Baldocchi   | 869 | A multi-layer model for estimating sulfur dioxide deposition to a deciduous oak forest canopy   |
| J. E. Dunn and B. A. Tichenor                              | 885 | Compensating for sink effects in emissions test chambers by mathematical modeling   |
| T. J. Butler   | 895 | Composition of particles dry deposited to an inert surface at Ithaca, New York  |
| P. J. Dillon, M. Lusi, R. Reid and D. Yap                  | 901 | Ten-year trends in sulphate, nitrate and hydrogen deposition in central Ontario   |
| J. Czuczwa, C. Leuenberger and W. Giger                    | 907 | Seasonal and temporal changes of organic compounds in rain and snow   |
| R. W. Wiener, K. Okazaki and K. Willeke                    | 917 | Influence of turbulence on aerosol sampling efficiency  |
| J.-L. Jaffrezou and J.-L. Colin                            | 929 | Rain-aerosol coupling in urban area: scavenging ratio measurement and identification of some transfer processes   |
| J. R. Scudlark and T. M. Church                            | 937 | The atmospheric deposition of arsenic and association with acid precipitation   |
| D. P. Miller   | 945 | Low-level determination of nitrogen dioxide in ambient air using the Palmes Tube  |
| P. K. Dasgupta, S. Dong, H. Hwang, H.-C. Yang and Z. Genfa | 949 | Continuous liquid-phase fluorometry coupled to a diffusion scrubber for the real-time determination of atmospheric formaldehyde, hydrogen peroxide and sulfur dioxide |
| G. Valaoras, J. J. Huntzicker and W. H. White              | 965 | On the contribution of motor vehicles to the Athenian "nephos": an application of factor signatures   |



E. Peake, M. A. MacLean,  
P. F. Lester and H. S. Sandhu

B. R. T. Simoneit, R. E. Cox  
and L. J. Standley

R. Westerholm, U. Stenberg  
and T. Alsberg

#### *Short Communication*

M. Legrand and C. Saigne

#### *Technical Note*

A. Sudbury

#### *News Section*

Introduction

Calendar

Recent Titles of Interest

Book Reviews (J. P. Lodge, Jr)

973 Peroxyacetylnitrate (PAN) in the atmosphere  
of Edmonton, Alberta, Canada

983 Organic matter of the troposphere—IV. Lipids  
in Harmattan aerosols of Nigeria

1005 Some aspects of the distribution of polycyclic  
aromatic hydrocarbons (PAH) between par-  
ticles and gas phase from diluted gasoline  
exhausts generated with the use of a dilution  
tunnel, and its validity for measurement in  
ambient air

1011 Formate, acetate and methanesulfonate mea-  
surements in Antarctic ice: some geochemical  
implications

1019 Pollutant concentration downwind of a poly-  
gonal source

1023

1023

1024

1025

## Number 6

D. J. Moore

#### *General Papers*

P. B. Ryan, J. D. Spengler and  
P. F. Halfpenny

A. H. Huber

P. Cagnetti, F. Desiato, P. Gaglione  
and A. Pellegrini

J. N. Carras and D. J. Williams

B. Benech, P. Van Dinh, A. Ezcurra  
and J. L. Lesne

M. Dunst

P. A. Clark and A. T. Cocks

i Editorial

1031 Sequential box models for indoor air quality:  
application to airliner cabin air quality

1039 Performance of a Gaussian model for center-  
line concentrations in the wake of buildings

1051 An atmospheric diffusion study on a local scale  
at a coastal site

1061 Measurements of relative  $\sigma_z$  up to 1800 km  
from a single source

1071 Investigation of a 1000-MW smoke plume by  
means of a 1.064  $\mu\text{m}$  lidar—II. Determination  
of diffusion characteristics of the plume  
particles

1085 On the turbulent diffusivity tensor in dispersion  
problems

1097 Mixing models for the simulation of plume  
interaction with ambient air



|  |      |   |
|--|------|---|
| B. J. Finlayson-Pitts and<br>S. N. Johnson   | 1107 | The reaction of NO <sub>2</sub> with NaBr: possible<br>source of BrNO in polluted marine<br>atmospheres   |
| W. Behnke, W. Holländer, W. Koch,<br>F. Nolting and C. Zetzsch   | 1113 | A smog chamber for studies of the photo-<br>chemical degradation of chemicals in the<br>presence of aerosols  |
| A. M. Hough and C. Reeves  | 1121 | Photochemical oxidant formation and the<br>effects of vehicle exhaust emission controls in<br>the U.K. The results from 20 different chemical<br>mechanisms |
| S. M. Joffe  | 1137 | Modelling the dry deposition velocity of highly<br>soluble gases to the sea surface   |
| J. H. Lee and I. N. Tang   | 1147 | Accommodation coefficient of gaseous NO <sub>2</sub> on<br>water surfaces   |
| J.-W. Erisman, A. W. M. Vermetten,<br>W. A. H. Asman,<br>A. Waijers-Ijpelaan and J. Slanina                | 1153 | Vertical distribution of gases and aerosols:<br>the behaviour of ammonia and related com-<br>ponents in the lower atmosphere                                |
| D. Yap, D. T. Ning and W. Dong   | 1161 | An assessment of source contributions to the<br>ozone concentrations in southern Ontario,<br>1979-1985  |
| J. Völkening, H. Baumann and<br>K. G. Heumann  | 1169 | Atmospheric distribution of particulate lead<br>over the Atlantic Ocean from Europe to<br>Antarctica  |
| R. M. Hirsch and N. E. Peters  | 1175 | Short-term trends in sulfate deposition at se-<br>lected bulk precipitation stations in New York  |
| W. T. Sturges and L. A. Barrie   | 1179 | Chlorine, bromine and iodine in Arctic<br>aerosols  |
| P. Middleton, J. S. Chang, J. C. del<br>Corral, H. Geiss and J. M. Rosinski                                | 1195 | Comparison of RADM and OSCAR precip-<br>itation chemistry data  |
| L. I. Kleinman   | 1209 | Evaluation of SO <sub>2</sub> emission scenarios with a<br>nonlinear atmospheric model  |
| A. Venkatram   | 1221 | Inherent uncertainty in air quality modeling  |
| A. S. Lefohn, J. A. Laurence and<br>R. J. Kohut  | 1229 | A comparison of indices that describe the<br>relationship between exposure to ozone and<br>reduction in the yield of agricultural crops                     |
| <i>Discussions</i><br>V. C. Runeckles, A. S. Lefohn,<br>J. A. Laurence and R. J. Kohut                     | 1241 | A comparison of indices that describe the<br>relationship between exposure to ozone and<br>reduction in the yield of agricultural crops                     |
| B. A. Marie, D. P. Ormrod,<br>A. S. Lefohn, C. E. Davis,<br>C. K. Jones, D. T. Tingey<br>and W. E. Hogsett | 1243 | Co-occurrence patterns of gaseous air pollut-<br>ant pairs at different minimum concentrations<br>in the United States                                      |
| <i>News Section</i><br>Introduction  | 1245 |   |
| Calendar   | 1245 |   |

|                           |      |
|---------------------------|------|
| New Products              | 1250 |
| Recent Titles of Interest | 1251 |
| Errata                    | 1253 |
| New Patents               | i    |

## Number 7

|  |      |   |
|--|------|---|
| H. Horvath, I. Kreiner, C. Norek,<br>O. Preining and B. Georgi                     | 1255 | Diesel emissions in Vienna  |
| C. Turfus  | 1271 | Calculating mean concentrations for steady sources in recirculating wakes by a particle trajectory method   |
| J. D. Kahl and P. J. Samson  | 1291 | Trajectory sensitivity to rawinsonde data resolution  |
| K. Sasaki, H. Kurita,<br>G. R. Carmichael, Y.-S. Chang,<br>K. Murano and H. Ueda   | 1301 | Behavior of sulfate, nitrate and other pollutants in the long-range transport of air pollution  |
| L. W. Burger and M. Mulholland   | 1309 | Real-time prediction of point-source distributions using an anemometer-bivane and a microprocessor  |
| M. Segal, R. A. Pielke,<br>R. W. Arritt, M. D. Moran,<br>C.-H. Yu and D. Henderson | 1319 | Application of a mesoscale atmospheric dispersion modeling system to the estimation of SO <sub>2</sub> concentrations from major elevated sources in southern Florida |
| R. H. Varey, D. J. Ball, A. J. Crane,<br>D. P. H. Laxen and F. J. Sandalls         | 1335 | Ozone formation in the London plume   |
| A. G. Allen, R. M. Harrison and<br>M. T. Wake                                      | 1347 | A meso-scale study of the behaviour of atmospheric ammonia and ammonium   |
| D. Fowler, J. N. Cape, I. D. Leith,<br>T. W. Choularton, M. J. Gay and<br>A. Jones | 1355 | The influence of altitude on rainfall composition at Great Dun Fell   |
| T. W. Choularton, M. J. Gay,<br>A. Jones, D. Fowler, J. N. Cape and<br>I. D. Leith | 1363 | The influence of altitude on wet deposition. Comparison between field measurements at Great Dun Fell and the predictions of a seeder-feeder model                     |
| S. H. Cadle and J. M. Dasch  | 1373 | Wintertime concentrations and sinks of atmospheric particulate carbon at a rural location in northern Michigan  |
| D. J. Hall and S. L. Upton   | 1383 | A wind tunnel study of the particle collection efficiency of an inverted Frisbee used as a dust deposition gauge  |
| L. S. Austin and G. E. Millward  | 1395 | Simulated effects of tropospheric emissions on the global antimony cycle  |
| J. F. Pankow   | 1405 | The calculated effects of non-exchangeable material on the gas-particle distributions of organic compounds  |

|  |      |  |
|--|------|--|
| A. H. Knap, K. S. Binkley and R. S. Artz           | 1411 | The occurrence and distribution of trace organic compounds in Bermuda precipitation  |
| C. T. Garten, Jr, E. A. Bondietti and R. D. Lomax  | 1425 | Contribution of foliar leaching and dry deposition to sulfate in net throughfall below deciduous trees   |
| P. T. Williams, M. Radojevic and A. G. Clarke      | 1433 | Dissolution of trace metals from particles of industrial origin and its influence on the composition of rainwater  |
| T. Schumann, B. Zinder and A. Waldvogel            | 1443 | Aerosol and hydrometeor concentrations and their chemical composition during winter precipitation along a mountain slope—I. Temporal evolution of the aerosol, microphysical and meteorological conditions |
| K. E. Noll, K. Y. P. Fang and L. A. Watkins        | 1461 | Characterization of the deposition of particles from the atmosphere to a flat plate  |
| M. T. Dana and W. G. N. Slinn                      | 1469 | Acidic deposition distribution and episode statistics from the MAP3S network database  |
| R. Steenkist                                       | 1475 | Episodes of high SO <sub>2</sub> concentration in The Netherlands  |
| D. C. DeLorey, D. R. Cronn and J. C. Farmer        | 1481 | Tropospheric latitudinal distributions of CF <sub>2</sub> Cl <sub>2</sub> , CFCl <sub>3</sub> , N <sub>2</sub> O, CH <sub>3</sub> CCl <sub>3</sub> and CCl <sub>4</sub> over the remote Pacific Ocean      |
| <i>Letters to the Editors</i>                      |      |  |
| M. R. Fidalgo, J. Mateos and J. Garmendia          | 1495 | The origin of some of the elements contained in the aerosols of Salamanca (Spain)  |
| S. M. Kreidenweis and J. H. Seinfeld               | 1499 | Effect of surface tension of aqueous methane-sulfonic acid solutions upon nucleation and growth of aerosol   |
| <i>Short Communications</i>                        |      |  |
| S. Lal, B. H. Subbaraya, R. Borchers and P. Fabian | 1501 | Surface measurements of trace gases in the tropical region near Hyderabad  |
| S. Glavas  | 1505 | A wet-only precipitation study in a Mediterranean site, Patras, Greece   |
| <i>Discussion</i>                                  |      |  |
| M. J. Chadwick, J. G. Cooke and R. W. Shaw         | 1509 | Towards a targetted emission reduction in Europe   |
| <i>News Section</i>                                |      |  |
| Introduction                                       | 1513 |  |
| Calendar   | 1513 |  |
| New Products                                       | 1514 |  |
| Recent titles of interest                          | 1515 |  |
| New Patents  | i    |  |

## Number 8

*The Nitrogen Species Methods Comparison Study*

|   |      |   |
|---|------|---|
| D. R. Lawson  | 1517 | The Nitrogen Species Methods Comparison Study: an overview  |
| S. V. Hering, D. R. Lawson,<br>I. Allegrini, A. Febo, C. Perrino,<br>M. Possanzini, J. E. Sickles, II,<br>K. G. Anlauf, A. Wiebe, B. R. Appel,<br>W. John, J. Ondo, S. Wall,<br>R. S. Braman, R. Sutton, G. R. Cass,<br>P. A. Solomon, D. J. Eatough,<br>N. L. Eatough, E. C. Ellis,<br>D. Grosjean, B. B. Hicks,<br>J. D. Womack, J. Horrocks,<br>K. T. Knapp, T. G. Ellestad,<br>R. J. Paur, W. J. Mitchell,<br>M. Pleasant, E. Peake, A. MacLean,<br>W. R. Pierson, W. Brachaczek,<br>H. I. Schiff, G. I. Mackay,<br>C. W. Spicer, D. H. Stedman,<br>A. M. Winer, H. W. Biermann and<br>E. C. Tuazon | 1519 | The nitric acid shootout: field comparison of measurement methods   |
| M. D. Zeldin, L. D. Bregman and<br>B. Wylie   | 1541 | Meteorological conditions during the 1985 southern California Nitrogen Species Methods Comparison Study   |
| H. W. Biermann, E. C. Tuazon,<br>A. M. Winer, T. J. Wallington and<br>J. N. Pitts, Jr.  | 1545 | Simultaneous absolute measurements of gaseous nitrogen species in urban ambient air by long pathlength infrared and ultraviolet-visible spectroscopy                        |
| G. I. Mackay, H. I. Schiff,<br>A. Wiebe and K. Anlauf   | 1555 | Measurements of NO <sub>2</sub> , H <sub>2</sub> CO and HNO <sub>3</sub> by tunable diode laser absorption spectroscopy during the 1985 Claremont intercomparison study     |
| B. R. Appel, Y. Tokiwa,<br>E. L. Kothny, R. Wu and V. Povard  | 1565 | Evaluation of procedures for measuring atmospheric nitric acid and ammonia  |
| M. R. Burkhardt, M. P. Buhr,<br>J. D. Ray and D. H. Stedman   | 1575 | A continuous monitor for nitric acid  |
| K. G. Anlauf, D. C. MacTavish,<br>H. A. Wiebe, H. I. Schiff and<br>G. I. Mackay   | 1579 | Measurement of atmospheric nitric acid by the filter method and comparisons with the tuneable diode laser and other methods   |
| P. A. Solomon, S. M. Larson,<br>T. Fall and G. R. Cass  | 1587 | Basinwide nitric acid and related species concentrations observed during the Claremont Nitrogen Species Comparison Study  |
| T. G. Ellestad and K. T. Knapp  | 1595 | The sampling of reactive atmospheric species by transition-flow reactor: application to nitrogen species  |
| N. L. Eatough, S. McGregor,<br>E. A. Lewis, D. J. Eatough,<br>A. A. Huang and E. C. Ellis   | 1601 | Comparison of six denuder methods and a filter pack for the collection of ambient HNO <sub>3</sub> (g), HNO <sub>2</sub> (g) and SO <sub>2</sub> (g) in the 1985 NSMC study |

|  |      |  |
|--|------|--|
| J. E. Sickles, II, C. Perrino,<br>I. Allegrini, A. Febo,<br>M. Possanzini and R. J. Paur   | 1619 | Sampling and analysis of ambient air near Los Angeles using an annular denuder system  |
| W. John, S. M. Wall and J. L. Ondo   | 1627 | A new method for nitric acid and nitrate aerosol measurement using the Dichotomous sampler   |
| D. Grosjean  | 1637 | Aldehydes, carboxylic acids and inorganic nitrate during NSMCS   |
| S. M. Wall, W. John and J. L. Ondo   | 1649 | Measurement of aerosol size distributions for nitrate and major ionic species  |
| W. R. Pierson, W. W. Brachaczek,<br>S. M. Japar, G. R. Cass and<br>P. A. Solomon           | 1657 | Dry deposition and dew chemistry in Claremont, California, during the 1985 Nitrogen Species Methods Comparison Study   |
| W. R. Pierson and W. W. Brachaczek   | 1665 | Coarse- and fine-particle atmospheric nitrate and $\text{HNO}_3(\text{g})$ in Claremont, California, during the 1985 Nitrogen Species Methods Comparison Study |
| C. L. Benner, N. L. Eatough,<br>E. A. Lewis, D. J. Eatough,<br>A. A. Huang and E. C. Ellis | 1669 | Diffusion coefficients for ambient nitric and nitrous acids from denuder experiments in the 1985 Nitrogen Species Methods Comparison Study                     |
| <i>General Papers</i>  |      |  |
| G. E. Moore, L. B. Milich and<br>M. K. Liu   | 1673 | Plume behaviors observed using lidar and $\text{SF}_6$ tracer at a flat and hilly site   |
| J. A. A. R. Schuurkes,<br>M. M. J. Maenen and<br>J. G. M. Roelofs                          | 1689 | Chemical characteristics of precipitation in $\text{NH}_3$ -affected areas   |
| K. J. Olszyna, J. F. Meagher and<br>E. M. Bailey   | 1699 | Gas-phase, cloud and rain-water measurements of hydrogen peroxide at a high-elevation site   |
| S. B. Idso   | 1707 | Development of a simplified plant stomatal resistance model and its validation for potentially transpiring and water-stressed water hyacinths                  |
| G. J. Keeler, W. W. Brachaczek,<br>R. A. Gorse, Jr, S. M. Japar and<br>W. R. Pierson       | 1715 | Effect of ambient humidity on dichotomous sampler coarse/fine ratios   |
| G. N. Lipatov, S. A. Grinshpun,<br>T. I. Semenyuk and A. G. Sutugin                        | 1721 | Secondary aspiration of aerosol particles into thin-walled nozzles facing the wind   |
| T. L. Vossler, R. K. Stevens,<br>R. J. Paur, R. E. Baumgardner<br>and J. P. Bell           | 1729 | Evaluation of improved inlets and annular denuder systems to measure inorganic air pollutants  |
| A. L. Dutot, G. Bergametti and<br>P. Buat-Menard   | 1737 | Application of correspondence analysis to apportion sources of ambient particles   |
| M. Glikson, R. Simpson,<br>H. Polach and J. Taylor   | 1745 | Microscopical TSP studies comparing a city centre and suburban sites in Canberra, Australia  |

|                                |      |  |
|--------------------------------|------|--|
| H. Hauck and H. Kolb           | 1759 | Consistency of different statistical parameters describing air pollution data for sulfur dioxide |
| <i>News Section</i>            |      |  |
| Introduction                   | 1765 |  |
| Calendar                       | 1765 |  |
| New Services                   | 1768 |  |
| New Journal                    | 1769 |  |
| Recent Titles of Interest      | 1769 |  |
| Book Reviews (J. P. Lodge, Jr) | 1771 |  |

## Number 9

|   |      |   |
|---|------|---|
| P. K. Hopke   | 1777 | Target Transformation Factor Analysis as an aerosol mass apportionment method: a review and sensitivity study |
| J. Walczewski<br>and M. Feleky-Bielak   | 1793 | Diurnal variation of characteristic sodar echoes and the diurnal change of atmospheric stability              |
| G. M. Hidy  | 1801 | Scientific considerations for empirical determination of regional source-receptor relationships               |
| S. A. Batterman, T. G. Dzubay<br>and R. E. Baumgardner  | 1821 | Development of crustal profiles for receptor modeling   |
| D. H. Lowenthal and K. A. Rahn  | 1829 | Reproducibility of regional apportionments of pollution aerosol in the northeastern United States             |
| J. C. Guichard and M. Lamauv  | 1835 | The laboratory production of the bubbling fraction of the marine aerosol—application to polluted seawater     |
| K. J. Allwine and C. D. Whiteman  | 1839 | Ventilation of pollutants trapped in valleys: a simple parameterization for regional-scale dispersion models  |
| M. Luria, C. C. Van Valin,<br>W. C. Keene, D. L. Wellman,<br>J. N. Galloway and J. F. Boatman | 1847 | Eastward sulfur flux from the northeastern United States  |
| H. Güsten, G. Heinrich, T. Cvitaš,<br>L. Klasinc, B. Rušičič, D. P. Lalas<br>and M. Petrakis  | 1855 | Photochemical formation and transport of ozone in Athens, Greece  |
| Y. Ide, H. Okamoto<br>and K. Okabayashi   | 1863 | On the parameterization of diffusion in the turbulent boundary layer  |
| F. A. Gifford, S. Barr,<br>R. C. Malone and E. J. Mroz  | 1871 | Tropospheric relative diffusion to hemispheric scales   |



|  |      |   |
|--|------|---|
| A. Lopez, J. Fontan,<br>M. O. Barthelemy et A. Minga   | 1881 | Présentation de l'expérience ATILA (action des terpènes et isoprène dans l'atmosphère) effectuée en forêt tempérée au Sud-Ouest de la France (forêt des Landes) |
| H. M. ApSimon, K. L. Simms<br>and C. G. Collier  | 1895 | The use of weather radar in assessing deposition of radioactivity from Chernobyl across England and Wales   |
| B. Moldan, J. Kopáček<br>and J. Kopáček  | 1901 | Chemical composition of atmospheric precipitation in Czechoslovakia, 1978-1984—II. Event samples  |
| R. A. Bilonick   | 1909 | Monthly hydrogen ion deposition maps for the northeastern U.S. from July 1982 to September 1984   |
| C. Perrino, F. De Santis and A. Febo   | 1925 | Uptake of nitrous acid and nitrogen oxides by nylon surfaces: implications for nitric acid measurement  |
| T. E. Kleindienst, P. B. Shepson,<br>C. M. Nero, R. R. Arnst,<br>S. B. Tejada, G. I. Mackay,<br>L. K. Mayne, H. I. Schiff, J. A. Lind,<br>G. L. Kok, A. L. Lazrus,<br>P. K. Dasgupta and S. Dong | 1931 | An intercomparison of formaldehyde measurement techniques at ambient concentration  |
| W. G. Cobourn and R. E. Mulrooney  | 1941 | Linearized response of a doped FPD continuous monitor for low-level sulfur measurements   |
| J. F. Boatman, M. Luria,<br>C. C. Van Valin and D. L. Wellman  | 1949 | Continuous atmospheric sulfur gas measurements aboard an aircraft: a comparison between the flame photometric and fluorescence methods                          |
| D. L. Savoie   | 1957 | Effect of normal standard errors on lognormal distributions   |
| A. Venkatram   | 1963 | On the use of Kriging in the spatial analysis of acid precipitation data  |
| B. E. A. Fisher  | 1977 | Criteria for the formation of regional photochemical episodes over Europe   |
| C. Pilinis and J. H. Seinfeld  | 1985 | Development and evaluation of an Eulerian photochemical gas-aerosol model   |
| M. Dronamraju, L. K. Peters,<br>G. R. Carmichael, P. Kasibhatla<br>and S.-Y. Cho   | 2003 | An Eulerian transport/transformation/removal model for SO <sub>2</sub> and sulfate—III. Comparison with the July 1974 SURE database                             |
| A. J. Jakeman, B. Jun<br>and J. A. Taylor  | 2013 | On the variability of the wind speed exponent in urban air pollution models   |
| C. S. Sloane   | 2021 | Contribution of NO <sub>2</sub> and soot to the discoloration of urban skies  |
| C. S. Sloane   | 2033 | Forecasting visibility impairment: a test of regression estimates   |



*Short Communications*

- M. Lal and A. K. Jain 2047 Climatic effect of observed changes in atmospheric trace gases at Antarctica
- P. S. Low and H. Bloom 2049 Atmospheric deposition of fluoride in the lower Tamar Valley, Tasmania

*Discussions*

- A. Eliassen and W. Klug 2057 Treating uncertainty in models of the atmospheric chemistry of nitrogen compounds
- J. P. Lodge, Jr 2057 Method for the qualitative and quantitative detection of individual  $\text{NH}_4^+$ -containing aerosols
- M. A. J. Parry, W. Day, A. S. Lefohn and M. R. Ashmore 2057 A comparison of indices that describe the relationship between exposure to ozone and the reduction in the yield of agricultural crops
- R. L. Petersen and R. M. Dowd 2061 Proposed pragmatic methods for estimating plume rise and plume penetration through atmospheric layers
- A. Febo, F. De Santis, A. Liberti and C. Perrino 2062 Nitric acid-nitrate aerosol measurements by a diffusion denuder: a performance evaluation

*News Section*

- Introduction 2065
- Calendar 2065
- New Products 2067
- Recent Titles of Interest 2068
- Book Reviews (J. P. Lodge, Jr) 2069
- New Patents i

## Number 10

*The Human Exposure Assessment Workshop*

- J. D. Spengler, H. Özkaynak and L. A. Wallace 2075 Introduction to the workshop on human exposure assessment: monitoring and modeling
- R. W. Whitmore 2077 Design of surveys for residential and personal monitoring of hazardous substances
- J. P. Robinson 2085 Time-diary research and human exposure assessment: some methodological considerations
- P. G. Flachsbart 2093 Methodological trends in the design of recent microenvironmental studies of personal CO exposure
- W. Ott, J. Thomas, D. Mage and L. Wallace 2101 Validation of the simulation of human activity and pollutant exposure (SHAPE) model using paired days from the Denver, CO, carbon monoxide field study
- P. B. Ryan, M. L. Soczek, R. D. Treitman, J. D. Spengler and I. H. Billick 2115 The Boston residential  $\text{NO}_2$  characterization study—II. Survey methodology and population concentration estimates

|  |      |  |
|--|------|--|
| I. F. Goldstein, L. R. Andrews<br>and D. Hartel  | 2127 | Assessment of human exposure to nitrogen dioxide, carbon monoxide and respirable particulates in New York inner-city residences  |
| L. A. Wallace, E. D. Pellizzari,<br>T. D. Hartwell, R. Whitmore,<br>H. Zelon, R. Perritt and L. Sheldon                      | 2141 | The California TEAM study: breath concentrations and personal exposures to 26 volatile compounds in air and drinking water of 188 residents of Los Angeles, Antioch, and Pittsburg, CA |
| S. M. Gordon, L. A. Wallace,<br>E. D. Pellizzari and H. J. O'Neill   | 2165 | Human breath measurements in a clean-air chamber to determine half-lives for volatile organic compounds  |
| W. E. Lambert, S. D. Colome<br>and S. L. Wojciechowski   | 2171 | Application of end-expired breath sampling to estimate carboxyhemoglobin levels in community air pollution exposure assessments  |
| L. Wallace, J. Thomas, D. Mage<br>and W. Ott   | 2183 | Comparison of breath CO, CO exposure, and Coburn model predictions in the U.S. EPA Washington-Denver (CO) study  |
| Y. Yanagisawa, H. Nishimura,<br>H. Matsuki, F. Osaka and H. Kasuga   | 2195 | Urinary hydroxyproline to creatinine ratio as a biological effect marker for exposure to NO <sub>2</sub> and tobacco smoke   |
| A. V. Nero, Jr.  | 2205 | Estimated risk of lung cancer from exposure to radon decay products in U.S. homes: a brief review  |
| <i>General Papers</i>  |      |  |
| J. M. Pacyna and B. Ottar  | 2213 | Vertical distribution of aerosols in the Norwegian Arctic  |
| V. A. Dutkiewicz and L. Husain   | 2223 | Spatial pattern of non-urban Se concentrations in the Northeastern U.S. and its pollution source implications  |
| I. P. Castro, W. H. Snyder<br>and R. E. Lawson, Jr.  | 2229 | Wind direction effects on dispersion from sources downwind of steep hills  |
| G. E. Shaw   | 2239 | Chemical air mass systems in Alaska  |
| T. Nielsen   | 2249 | The decay of benzo(a)pyrene and cyclopenteno(cd)pyrene in the atmosphere   |
| J. M. Dasch  | 2255 | Hydrological and chemical inputs to fir trees from rain and clouds during a 1-month study at Clingmans Peak, NC  |
| E. O. Edney, S. F. Cheek,<br>D. C. Stiles, E. W. Corse,<br>M. L. Wheeler, J. W. Spence,<br>F. H. Haynie and W. E. Wilson, Jr | 2263 | Effects of acid deposition on paints and metals: results of a controlled field study   |
| M. Ferm, H. Areskoug,<br>J.-E. Hanssen, G. Hilbert<br>and H. Lättilä   | 2275 | Field intercomparison of measurement techniques for total NH <sub>4</sub> <sup>+</sup> and total NO <sub>3</sub> <sup>-</sup> in ambient air   |
| E. Tsani-Bazaca, S. Glavas<br>and H. Güsten  | 2283 | Peroxyacetyl nitrate (PAN) concentrations in Athens, Greece  |
| L. C. Nkemdirim  | 2287 | An assessment of the relationship between functional groups of weather elements and atmospheric pollution in Calgary, Canada   |
| W. A. Van Borm and F. C. Adams   | 2297 | Cluster analysis of electron microprobe analysis data of individual particles for source apportionment of air particulate matter   |

|   |      |  |
|---|------|--|
| H. S. Javitz, J. G. Watson<br>and N. Robinson                                     | 2309 | Performance of the chemical mass balance<br>model with simulated local-scale aerosols  |
| C. Bellver  | 2323 | Estimation of the influence of particulate<br>pollution on the degree of polarization of the<br>sky-light scattered by the atmospheric aerosol |
| <i>Letter to the Editors</i>  |      |  |
| D. A. Jaffe   | 2329 | Accuracy of measured ammonium nitrate<br>equilibrium values  |
| <i>Discussion</i>   |      |  |
| S. E. Schwartz, S. L. Clegg<br>and P. Brimblecombe                                | 2331 | Henry's Law and sheep's tails  |
| <i>News &amp; Opinions</i>  |      |  |
| Introduction  | 2335 |  |
| Calendar  | 2335 |  |
| New Services  | 2338 |  |
| Recent Titles of Interest   | 2338 |  |
| <b>Opinion:</b> Carbon dioxide and climate<br>in the Vostok ice core (S. B. Idso) | 2341 |  |

## Number 11

*The Western Atlantic Ocean Experiment-85*

|   |      |   |
|---|------|---|
| J. N. Galloway  | 2343 | WATOX-85: a preface   |
| J. N. Galloway, R. S. Artz,<br>U. Dayan, R. F. Pueschel<br>and J. F. Boatman  | 2345 | WATOX-85: an aircraft and ground sampling<br>program to determine the transport of trace<br>gases and aerosols across the Western Atlantic<br>Ocean |
| R. S. Artz, G. D. Rolph<br>and J. Harris  | 2361 | Meteorological summary of four WATOX<br>1985 research intensives  |
| R. F. Pueschel, J. F. Boatman<br>and R. S. Artz   | 2371 | Aerosols over the Western Atlantic: scale<br>heights, concentrations and fluxes   |
| D. R. Hastie, H. I. Schiff,<br>D. M. Whelpdale, R. E. Peterson,<br>W. H. Zoller and D. L. Anderson                  | 2381 | Nitrogen and sulphur over the Western<br>Atlantic Ocean   |
| D. R. Hastie, H. I. Schiff,<br>D. M. Whelpdale, R. E. Peterson,<br>W. H. Zoller, D. L. Anderson<br>and T. M. Church | 2393 | Description and intercomparison of techniques<br>to measure N and S compounds in the Western<br>Atlantic Ocean experiment                           |
| C. C. Van Valin and M. Luria  | 2401 | O <sub>3</sub> , CO, hydrocarbons and dimethyl sulfide<br>over the Western Atlantic Ocean   |
| <i>General Papers</i>   |      |   |
| Y. Mamane   | 2411 | Estimate of municipal refuse incinerator con-<br>tribution to Philadelphia aerosol—I. Source<br>analysis  |
| A. Jones and T. W. Choularton   | 2419 | A model of wet deposition to complex terrain  |

|   |      |  |
|---|------|--|
| A. Albergel, D. Martin,<br>B. Strauss and J.-M. Gros                                    | 2431 | The Chernobyl accident: modelling of dispersion over Europe of the radioactive plume and comparison with air activity measurements                               |
| R. T. McNider, M. D. Moran<br>and R. A. Pielke  | 2445 | Influence of diurnal and inertial boundary-layer oscillations on long-range dispersion   |
| T. E. Pierce  | 2463 | An air pollution climatology around an isolated point source using convective scaling parameters   |
| D. K. Brandvold and P. Martinez   | 2477 | The $\text{NO}_x/\text{N}_2\text{O}$ fixation ratio from electrical discharges   |
| W. R. Stockwell, J. B. Milford,<br>G. J. McRae, P. Middleton<br>and J. S. Chang         | 2481 | Nonlinear coupling in the $\text{NO}_x$ - $\text{SO}_x$ reactive organic system  |
| S. E. Schwartz  | 2491 | Mass-transport limitation to the rate of in-cloud oxidation of $\text{SO}_2$ : re-examination in the light of new data   |
| H. M. E. Miedema and J. M. Ham  | 2501 | Odour annoyance in residential areas   |
| H. Van Langenhove, A. Lootens<br>and N. Schamp  | 2509 | Objective evaluation of an odour nuisance problem based on inquiry results   |
| L. W. A. van Hove, W. J. M. Tonk,<br>G. A. Pieters, E. H. Adema<br>and W. J. Vredenberg | 2515 | A leaf chamber for measuring the uptake of pollutant gases at low concentrations by leaves, transpiration and carbon dioxide assimilation                        |
| J. D. Marshall and M. A. Ferman   | 2525 | An exposure facility for examining the physiological basis of air pollutant effects on plant growth  |
| B. R. Appel, V. Povard<br>and E. L. Kóthny  | 2535 | Loss of nitric acid within inlet devices intended to exclude coarse particles during atmospheric sampling  |
| M. P. Keuken,<br>C. A. M. Schoonebeek,<br>A. van Wensveen-Louter<br>and J. Slanina      | 2541 | Simultaneous sampling of $\text{NH}_3$ , $\text{HNO}_3$ , $\text{HCl}$ , $\text{SO}_2$ and $\text{H}_2\text{O}_2$ in ambient air by a wet annular denuder system |
| R. J. Lyall, M. A. Hooper<br>and S. J. Mainwaring                                       | 2549 | Polycyclic aromatic hydrocarbons in the Latrobe Valley   |
| H. D. Kambezidis<br>and N. S. Papanikolaou  | 2557 | $\text{SO}_2$ concentration levels from a monitoring network in Athens, Greece   |
| M. C. Okur  | 2569 | On fitting the generalized $\lambda$ -distribution to air pollution data   |
| J. B. Shukla and R. S. Chauhan  | 2573 | Unsteady state dispersion of air pollutant from a time dependent point source forming a secondary pollutant  |
| I. N. Tang, H. R. Munkelwitz<br>and J. H. Lee   | 2579 | Vapor-liquid equilibrium measurements for dilute nitric acid solutions   |
| R. L. Hightower<br>and C. B. Richardson   | 2587 | Evaporation of ammonium nitrate particles containing ammonium sulfate  |

|   |      |  |
|---|------|--|
| F. Bruynseels, H. Storms,<br>R. Van Grieken<br>and L. Van der Auwera  | 2593 | Characterization of North Sea aerosols by individual particle analyses   |
| <i>Short Communications</i>   |      |  |
| W. H. Benner and M. Bizjak  | 2603 | Pseudo first-order reaction rate constant for the formation of hydroxymethylhydroperoxide from formaldehyde and hydrogen peroxide          |
| D. Möller   | 2607 | Production of free radicals by an ozone-alkene reaction—a possible factor in the new-type forest decline?                                  |
| D. O'Hara and H. B. Singh   | 2613 | Sensitive gas chromatographic detection of acetaldehyde and acetone using a reduction gas detector   |
| G. Petersson  | 2617 | High ambient concentrations of monoterpenes in a Scandinavian pine forest  |
| N. Yamamoto, N. Kabeya,<br>M. Onodera, S. Takahahi,<br>Y. Komori, E. Nakazuka<br>and T. Shirai                            | 2621 | Seasonal variation of atmospheric ammonia and particulate ammonium concentrations in the urban atmosphere of Yokohama over a 5-year period |
| <i>Technical Note</i>   |      |  |
| A. I. I. Ette and D. O. Olorode   | 2625 | The effects of the Harmattan dust on air conductivity and visibility at Ibadan, Nigeria  |
| <i>Correspondence</i>   |      |  |
| M. E. Kitto and D. L. Anderson  | 2629 | The use of Whatman-41 filters for particle collection  |
| <i>News &amp; Opinions</i>  |      |  |
| Introduction  | 2631 |  |
| Calendar  | 2631 |  |
| Recent Titles of Interest   | 2634 |  |
| <b>Opinion:</b> Carbon dioxide and climate in the Vostok ice core: why does the system oscillate?<br>(T. Roger S. Wilson) | 2637 |  |

## Number 12

|   |      |  |
|---|------|--|
| <i>Review Articles</i>                  |      |  |
| K. W. Nicholson                         | 2639 | A review of particle resuspension  |
| K. W. Nicholson                         | 2653 | The dry deposition of small particles: a review of experimental measurements                         |
| <i>General Papers</i>                   |      |  |
| M. S. El-Shobokshy and<br>F. M. Hussein | 2667 | Correlation between indoor-outdoor inhalable particulate concentrations and meteorological variables |
| W. G. Hoydysh and W. F. Dabberdt        | 2677 | Kinematics and dispersion characteristics of flows in asymmetric street canyons                      |

|   |      |  |
|---|------|--|
| Y. Nakamura and T. R. Oke   | 2691 | Wind, temperature and stability conditions in an east-west oriented urban canyon   |
| M. Bennett  | 2701 | A simple physical model of dry deposition to a rough surface   |
| W. Marquardt and P. Ihle  | 2707 | Acidic and alkaline precipitation components in the mesoscale range under the aspect of meteorological factors and the emissions   |
| R. C. Easter and D. J. Luecken  | 2715 | A simulation of sulfur wet deposition and its dependence on the inflow of sulfur species to storms   |
| B. Zinder, T. Schumann and A. Waldvogel   | 2741 | Aerosol and hydrometeor concentrations and their chemical composition during winter precipitation along a mountain slope—II. Enhancement of below-cloud scavenging in a stably stratified atmosphere |
| S. G. Zemba, D. Golomb and J. A. Fay  | 2751 | Wet sulfate and nitrate deposition patterns in Eastern North America   |
| C. U. Ro, A. J. S. Tang, W. H. Chan, R. W. Kirk, N. W. Reid and M. A. Lusi  | 2763 | Wet and dry deposition of sulfur and nitrogen compounds in Ontario   |
| K. J. Noone and A. D. Clarke  | 2773 | Soot scavenging measurements in Arctic snowfall  |
| A. Ezcurra, H. Casado, J. P. Lacaux and C. Garcia   | 2779 | Relationships between meteorological situations and acid rain in Spanish Basque country  |
| K. Guertin, J.-P. Villeneuve, S. Deschênes and G. Jacques   | 2787 | The choice of working variables in the geo-statistical estimation of the spatial distribution of ion concentration from acid precipitation   |
| A. Sicherer-Roetman, M. Ramlal, C. E. Voogd and H. J. Th. Bloemen   | 2803 | The fractionation of extracts of ambient particulate matter for mutagenicity testing   |
| R. K. R. Vupputuri  | 2809 | Potential effects of anthropogenic trace gas emissions on atmospheric ozone and temperature structure and surface climate  |
| M. L. Williams, G. F. J. Broughton, J. S. Bower, V. J. Drury, K. Lilley, K. Powell, F. S. M. Rogers and K. J. Stevenson | 2819 | Ambient NO <sub>x</sub> concentrations in the U.K. 1976–1984—a summary   |
| H. Puxbaum, C. Rosenberg, M. Gregori, C. Lanzerstorfer, E. Ober and W. Winiwarter                                       | 2841 | Atmospheric concentrations of formic and acetic acid and related compounds in eastern and northern Austria   |
| M. Bizjak, W. H. Benner, A. D. A. Hansen, D. Hrček, V. Hudnik and T. Novakov  | 2851 | Spatial and temporal variations of aerosol sulfate and trace elements in a source-dominated urban environment  |
| B. Arganza García, J. M. Fernández Díaz, L. Garzón Ruipérez and A. Lopez  | 2863 | Concentration, sources and particle size distribution of the atmospheric aerosol of the Oviedo urban nucleus (Spain)   |
| P. Winkler and U. Kaminski  | 2871 | Increasing submicron particle mass concentration at Hamburg—I. Observations  |



|  |      |  |
|--|------|--|
| U. Kaminski and P. Winkler               | 2879 | Increasing submicron particle mass concentration at Hamburg—II. Source discussion                            |
| <i>Letter to the Editors</i>             |      |  |
| K. W. Nicholson and T. D. Davies         | 2885 | The dry deposition of sulphur dioxide at a rural site  |
| <i>Short Communication</i>               |      |  |
| E. Peake, M. A. MacLean and H. S. Sandhu | 2891 | Total inorganic nitrate (particulate nitrate and nitric acid) in the atmosphere of Edmonton, Alberta, Canada |
| <i>News and Opinions</i>                 |      |  |
| Introduction                             | 2895 |  |
| Calendar                                 | 2895 |  |
| Recent Titles of Interest                | 2897 |  |
| Book Reviews (J. P. Lodge, Jr)           | 2899 |  |



